



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/516,881	12/03/2004	Kazuyuki Nako	0033-0964PUS1	1659
2292 7590 01/04/2010 BIRCH STEWART KOLASCH & BIRCH PO BOX 747 FALLS CHURCH, VA 22040-0747				
EXAMINER				
DWITVEDI, MAHESH H				
ART UNIT		PAPER NUMBER		
2168				
NOTIFICATION DATE		DELIVERY MODE		
01/04/2010		ELECTRONIC		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

Office Action Summary

Application No.

10/516,881

Applicant(s)

NAKO, KAZUYUKI

Examiner

MAHESH H. DWIVEDI

Art Unit

2168

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 15 September 2009.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1 and 3-19 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1 and 3-19 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03 December 2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Remarks

1. Receipt of Applicant's Amendment, filed on 09/15/2009, is acknowledged. The amendment includes the amending of the specification, the amending of claims 1, 6-8, and 18-19, and the cancellation of claim 2.

Priority

2. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Specification

3. The objections raised in the office action mailed on 6/15/09 have been overcome by applicant's amendments received on 9/15/09.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1, 3-19 are rejected under 35 U.S.C. 103(a) as being unpatentable over **Hyon** (U.S. PGPUB 2002/0077135) in view of **Baker** (U.S. Patent 6,546,417), and further in view of **Ostermann et al.** (U.S. Patent 6,990,452).
6. Regarding claim 1, **Hyon** teaches a display device comprising:
 - A) a first storage portion for storing beforehand a character code for specifying each of said predetermined kind of character (Paragraphs 23, and 41-42, Figure 4);
 - B) a second storage portion for storing an image code for specifying said registered image and non-standardized image data corresponding to said image code in a correlated manner, said registered image being generated by a user (Paragraphs 23, 25, and 44, Figure 2);
 - C) a display output portion for outputting said predetermined kind of character and said registered image (Paragraph 21, Figure 2); and

D) a display control portion for causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display data containing a series of said character code, text attribute data, and said image code (Paragraphs 21 and 41-42); and

K) when displaying a vertical writing (Paragraph 25).

The examiner notes that **Hyon** teaches “**a first storage portion for storing beforehand a character code for specifying each of said predetermined kind of character**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23) and “the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes” (Paragraph 41). The examiner further notes that **Hyon** teaches “**a second storage portion for storing an image code for specifying said registered image and non-standardized image data corresponding to said image code in a correlated manner, said registered image being generated by a user**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23), “storage 18 stores oriental or occidental emoticons according to the cultural area of a user” (Paragraph 25), and “A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station

and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that Hyon teaches **"a display output portion for outputting said predetermined kind of character and said registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21). The examiner further notes that Hyon teaches **"a display control portion for causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display data containing a series of said character code, text attribute data, and said image code"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons ". " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that it is common knowledge that when text messages are received via a device, the entire message is displayed at once. The examiner further notes that Hyon teaches **"when displaying a vertical writing"** as "Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal

ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- E) said display control portion having image transforming means for transforming said registered image to be displayed according to said text attribute data;
- G) wherein said text attribute data contains size attribute data indicating a character size of said text; and
- H) said image transforming means scales up/down said registered image to adjust a height of said registered image to a height of said text, by referring only to the height of said text, in accordance with said attribute data;
- I) so that the height of said registered image matches the height of said text sandwiching said registered image when displaying a horizontal writing;
- J) to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data;
- K) so that the width of said registered image matches the width of said text sandwiching said registered image;
- L) the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed.

Baker, however, teaches "**said display control portion having image transforming means for transforming said registered image to be displayed according to said text attribute data**" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), "**wherein said text attribute data contains size attribute data indicating a character size of said text**" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), "**said**

image transforming means scales up/down said registered image to adjust a height of said registered image to a height of said text, by referring only to the height of said text, in accordance with said attribute data” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), **“so that the height of said registered image matches the height of said text sandwiching said registered image when displaying a horizontal writing”** as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), **“to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), **“so that the width of said registered image matches the width of said text sandwiching said registered image”** as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), and **“the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed”** as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the

point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Baker's** would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and Baker do not explicitly teach:

F) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches "**so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence**" as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, ":-)" for a head nod, "w" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":", "-" and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the characters ":-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 3, **Hyon and Baker** do not explicitly teach a display device comprising:

- A) wherein said text attribute data contains color attribute data indicating at least a fore color of a corresponding predetermined kind of character; and
- B) said image transforming means converts a color of said registered image according to said color attribute data.

Ostermann, however, teaches “**wherein said text attribute data contains color attribute data indicating at least a fore color of a corresponding predetermined kind of character**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means. For example, the method may comprise providing the sender an option to assign a color to the at least typed one word such that the chosen emoticon begins to be presented by the animated entity to the recipient at the first typed word with the assigned color and the chosen emoticon presentation by the animated entity ends at the last typed word with the assigned color” (Column 11, lines 43-50) and “**said image transforming means converts a color of said registered image according to said color attribute data**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means. For example, the method may comprise providing the sender an option to assign a color to the at least typed one word such that the chosen emoticon begins to be presented by the animated entity to the recipient at the first typed word with the assigned color and the chosen emoticon presentation by the animated entity ends at the last typed word with the assigned color” (Column 11, lines 43-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann’s** would have allowed **Hyon’s** and **Baker’s** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 4, **Hyon and Baker** do not explicitly teach a display device comprising:

A) wherein when said registered is a gray image, said image transforming means converts each pixel of said registered image into a color made by mixing the fore color and a back color of said text at a ratio according to a pixel value of said predetermined kind of character.

Ostermann, however, teaches “wherein when said registered is a gray image, said image transforming means converts each pixel of said registered image into a color made by mixing the fore color and a back color of said text at a ratio according to a pixel value of said predetermined kind of character” as “The increased intensity of the emoticon may be accomplished by changing the icon from black-on-white background to black-on-colored background (such as red or yellow) where the intensity of the background color reflects the amplitude” (Column 9, lines 43-67) and “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means. For example, the method may comprise providing the sender an option to assign a color to the at least typed one word such that the chosen emoticon begins to be presented by the animated entity to the recipient at the first typed word with the assigned color and the chosen emoticon presentation by the animated entity ends at the last typed word with the assigned color” (Column 11, lines 43-50)

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann’s** would have allowed **Hyon’s** and **Baker’s** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 5, **Hyon and Baker** do not explicitly teach a display device comprising:

A) wherein said text attribute data contains decoration attribute data indicating a type of a decoration applied to a corresponding predetermined kind of character; and

B) said image transforming means decorates said registered image according to said decoration attribute data.

Ostermann, however, teaches “**wherein said text attribute data contains decoration attribute data indicating a type of a decoration applied to a corresponding predetermined kind of character**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :-) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to continue the smile through the word “up”. The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon” (Column 11, lines 43-61) and “**said image transforming means decorates said registered image according to said decoration attribute data**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :-) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to continue the smile through the word “up”. The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon” (Column 11, lines 43-61).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 6, **Hyon** teaches a method comprising:

A) storing an image code for specifying said registered image and registered image data corresponding to said image code (Paragraphs 23, 25, and 44, Figure 2);

- B) said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character (Paragraphs 23 and 44);
- D) displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image (Paragraphs 21 and 41-42);
- J) when displaying a vertical writing (Paragraph 25).

The examiner notes that Hyon teaches “**storing an image code for specifying said registered image and registered image data corresponding to said image code**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23), “storage 18 stores oriental or occidental emoticons according to the cultural area of a user” (Paragraph 25), and “A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal” (Paragraph 44). The examiner further notes that Hyon teaches “**said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23) and “In another

embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station, and the stores them, or downloads them from the Internet" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that items which are clearly not edited/changed/manipulated (i.e. text characters) would be stored in ROM of storage 18. Moreover, the examiner further wishes to state that it is well known that text characters from a particular font are stored in ROM and not RAM (see cited reference of **Hersum** (see column 4, lines 55-67 for reference). The examiner further notes that **Hyon** teaches **"displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons " . " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that **Hyon** teaches **"when displaying a vertical writing"** as "Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- C) with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data;
- F) wherein said text attribute data contains size attribute data indicating a character size of said text; and
- G) said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only to the height of said text, in accordance with said attribute data;
- H) so that the height of said registered image matches said height of said text sandwiching said registered image when displaying a horizontal writing;
- I) to adjust a width of said registered image to a width of said text, by referring only to the width of said text;
- J) so that the width of said registered image matches the width of said text sandwiching said registered image;
- K) the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed.

Baker, however, teaches “**with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**wherein said text attribute data contains size attribute data indicating a character size of said text**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only**

to the height of said text, in accordance with said attribute data" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the height of said registered image matches the height of said text sandwiching said registered image when displaying a horizontal writing"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"to adjust a width of said registered image to a width of said text, by referring only to the width of said text"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the width of said registered image matches the width of said text sandwiching said registered image"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), and **"the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching

Baker's would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and Baker do not explicitly teach:

E) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches "so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence" as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, "::-)" for a head nod, "*w*" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":", "-" and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the characters ":-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 7, **Hyon** teaches a viewer program comprising:

A) storing an image code for specifying said registered image and registered image data corresponding to said image code (Paragraphs 23, 25, and 44, Figure 2);

- B) said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character (Paragraphs 23 and 44);
- D) displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image (Paragraphs 21 and 41-42); and
- J) when displaying a vertical writing (Paragraph 25).

The examiner notes that Hyon teaches “**storing an image code for specifying said registered image and registered image data corresponding to said image code**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23), “storage 18 stores oriental or occidental emoticons according to the cultural area of a user” (Paragraph 25), and “A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal” (Paragraph 44). The examiner further notes that Hyon teaches “**said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23) and “In another

embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station, and the stores them, or downloads them from the Internet" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that items which are clearly not edited/changed/manipulated (i.e. text characters) would be stored in ROM of storage 18. Moreover, the examiner further wishes to state that it is well known that text characters from a particular font are stored in ROM and not RAM (see cited reference of **Hersum** (see column 4, lines 55-67 for reference). The examiner further notes that **Hyon** teaches **"displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons " . " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that it is common knowledge that when text messages are received via a device, the entire message is displayed at once. The examiner further notes that **Hyon** teaches **"when displaying a vertical writing"** as "Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones

prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- C) with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data;
- F) wherein said text attribute data contains size attribute data indicating a character size of said text; and
- G) said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only to the height of said text, in accordance with said attribute data;
- H) so that the height of said registered image matches said height of said text sandwiching said registered image when displaying a horizontal writing;
- I) to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data;
- J) so that the width of said registered image matches the width of said text sandwiching said registered image;
- K) the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed.

Baker, however, teaches **"with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"wherein said text attribute data contains size attribute data indicating a character size of said text"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is

chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only to the height of said text, in accordance with said attribute data"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the height of said registered image matches the height of said text sandwiching said registered image when displaying a horizontal writing"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the width of said registered image matches the width of said text sandwiching said registered image"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), and **"the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the

point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Baker's** would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and **Baker** do not explicitly teach:

E) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches "**so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence**" as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, ":-)" for a head nod, "w" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":", "-", and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the characters ":-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 8, **Hyon** teaches a computer readable recording medium comprising:

- A) storing an image code for specifying said registered image and registered image data corresponding to said image code (Paragraphs 23, 25, and 44, Figure 2);
- B) said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character (Paragraphs 23 and 44);
- D) displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image (Paragraphs 21 and 41-42); and
- J) when displaying a vertical writing (Paragraph 25).

The examiner notes that **Hyon** teaches **“storing an image code for specifying said registered image and registered image data corresponding to said image code”** as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons” (Paragraph 23), “storage 18 stores oriental or occidental emoticons according to the cultural area of a user” (Paragraph 25), and “A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal” (Paragraph 44). The examiner further notes that **Hyon** teaches **“said registered image being generated by a user and stored in a storage portion different from a storage portion of storing the predetermined kind of character”** as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data,

and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23) and "In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station, and the stores them, or downloads them from the Internet" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that items which are clearly not edited/changed/manipulated (i.e. text characters) would be stored in ROM of storage 18. Moreover, the examiner further wishes to state that it is well known that text characters from a particular font are stored in ROM and not RAM (see cited reference of **Hersum** (see column 4, lines 55-67 for reference). The examiner further notes that **Hyon** teaches **"displaying said predetermined kind of character and said registered image simultaneously based on said transformed registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons " . " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that it is common knowledge that when text messages are received via a device, the entire message is displayed at once. The examiner further notes that **Hyon** teaches **"when displaying a vertical writing"** as

"Emoticons are usually divided into **two** categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- C) with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data;
- F) wherein said text attribute data contains size attribute data indicating a character size of said text; and
- G) said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only to the height of said text, in accordance with said attribute data;
- H) so that the height of said registered image matches said height of said text sandwiching said registered image when displaying a horizontal writing;
- I) to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data;
- J) so that the width of said registered image matches the width of said text sandwiching said registered image;
- K) the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed.

Baker, however, teaches "**with respect to display data containing a series of a character code, text attribute data, and said image code, transforming said registered image to be displayed according to said text attribute data**" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), "**wherein said text attribute data contains size attribute data indicating a character size of**

said text" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"said transforming step includes scaling up/down said registered image to adjust a height of said registered image to a width of said text, by referring only to the height of said text, in accordance with said attribute data"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the height of said registered image matches the height of said text sandwiching said registered image when displaying a horizontal writing"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"to adjust a width of said registered image to a width of said text, by referring only to the width of said text, in accordance with said size attribute data"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), **"so that the width of said registered image matches the width of said text sandwiching said registered image"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), and **"the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the**

registered image is displayed" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Baker's** would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and Baker do not explicitly teach:

E) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches "**so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence**" as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, ":-:)" for a head nod, "*w*" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":", "-" and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the characters ":-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow

the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 9, **Hyon** and **Baker** do not explicitly teach a display device comprising:

A) wherein said transforming means includes image decoration means for decorating said registered image to provide continuous decoration to both said registered image and neighboring predetermined kind of characters adjacent to said registered image according to said decoration attribute data.

Ostermann, however, teaches “**wherein said transforming means includes image decoration means for decorating said registered image to provide continuous decoration to both said registered image and neighboring predetermined kind of characters adjacent to said registered image according to said decoration attribute data**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :-) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to continue the smile through the word “up”. The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon as the animated entity delivers the message. As mentioned above, the highlighting can occur through coloring words, underlining words, or some other means of presenting the emotion” (Column 11, lines 43-61).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann’s** would have allowed **Hyon’s** and **Baker’s** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 10, **Hyon** and **Baker** do not explicitly teach a display device comprising:

A) wherein said image decoration means decorates said registered image, such that both said registered image and said neighboring predetermined kind of characters show the said fore and back colors continuously.

Ostermann, however, teaches “**wherein said image decoration means decorates said registered image, such that both said registered image and said neighboring predetermined kind of characters show the said fore and back colors continuously**” as The increased intensity of the emoticon may be accomplished by changing the icon from black-on-white background to black-on-colored background (such as red or yellow) where the intensity of the background color reflects the amplitude” (Column 9, lines 43-67) and “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to continue the smile through the word “up”. The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon as the animated entity delivers the message. As mentioned above, the highlighting can occur through coloring words, underlining words, or some other means of presenting the emotion” (Column 11, lines 43-61).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann’s** would have allowed **Hyon’s** and **Baker’s** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 11, **Hyon** and **Baker** do not explicitly teach a display device comprising:

A) wherein said image decoration means decorates said registered image to draw a continuous underline below both said registered image and said neighboring predetermined kind of characters.

Ostermann, however, teaches “**wherein said image decoration means decorates said registered image to draw a continuous underline below both said registered image and said neighboring predetermined kind of characters**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :-) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to continue the smile through the word “up”. The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon as the animated entity delivers the message. As mentioned above, the highlighting can occur through coloring words, underlining words, or some other means of presenting the emotion” (Column 11, lines 43-61).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann’s** would have allowed **Hyon’s** and **Baker’s** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 12, **Hyon** and **Baker** do not explicitly teach a display device comprising:

A) wherein said image decoration means decorates said registered image to draw a continuous cancel line on both said registered image and said neighboring predetermined kind of characters.

Ostermann, however, teaches “**wherein said image decoration means decorates said registered image to draw a continuous cancel line on both said registered image and said neighboring predetermined kind of characters**” as “The sender can associate typed words with an emoticon by underlining, coloring, highlighting, or by any other means...In this case, in a sentence such as “Hi John, :-) are you pleased that the stock market is up?” the underlining represents the highlighting wherein the sender chooses to begin the smile at the beginning of the word “are” and to

continue the smile through the word "up". The method comprises receiving the indicated duration of the emoticon and presenting the chosen duration of the emoticon as the animated entity delivers the message. As mentioned above, the highlighting can occur through coloring words, underlining words, or some other means of presenting the emotion" (Column 11, lines 43-61).

The examiner notes that it is clear that **Ostermann's** method can use various computer font techniques to apply to sentences with emoticons, such as underlines and highlighters.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 13, **Hyon** further teaches a display device comprising:

- A) wherein the first storage portion is a ROM (Paragraph 23); and
- B) the second storage portion is a RAM (Paragraphs 23 and 44).

The examiner notes that **Hyon** teaches "**wherein the first storage portion is a ROM**" as "A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23). The examiner further notes that items which are clearly not edited/changed/manipulated (i.e. text characters) would be stored in ROM of storage 18. Moreover, the examiner further wishes to state that it is well known that text characters from a particular font are stored in ROM and not RAM (see cited reference of **Hersum** (see column 4, lines 55-67 for reference). The examiner further notes that **Hyon** teaches "**the second storage portion is a RAM**" as "A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for

storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23) and "A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only).

Regarding claims 14-17, **Hyon and Baker** do not explicitly teach a display device, display method, viewer program, and computer-readable recording medium comprising:

A) wherein the text containing the predetermined kind of character and the registered image is used in a Hyper Text Markup Language document.

Ostermann, however, teaches "**wherein the text containing the predetermined kind of character and the registered image is used in a Hyper Text Markup Language document**" as "FIG. 4(a) illustrates a high-bandwidth architecture 60 associated with the embodiments of the invention. The system 60 delivers a hyper-text mark-up language (HTML) page through the Internet 62 (connected to a web server, not shown but embodied in the Internet 62) to a client application 64. The HTML page (shown by way of example in FIG. 6) enables the sender to create a multi-media message. The client application may be, for example, a web browser such as Microsoft's Internet Explorer.RTM.. Other client applications include e-mail and instant messaging clients. The sender creates the multi-media message using the HTML page" (Column 4, lines 53-63).

The examiner notes that it is clear that **Ostermann's** method can use various computer font techniques to apply to sentences with emoticons, such as underlines and highlighters.

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 18, **Hyon** teaches a display device comprising:

- A) a first storage portion for storing beforehand a character code for specifying each of said predetermined kind of character (Paragraphs 23, and 41-42, Figure 4);
- B) a second storage portion for storing an image code for specifying said registered image and non-standardized image data corresponding to said image code in a correlated manner, said registered image being generated by a user (Paragraphs 23, 25, and 44, Figure 2);
- C) a display output portion for outputting said predetermined kind of character and said registered image (Paragraph 21, Figure 2); and
- D) a display control portion for causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display data containing a series of said character code, text attribute data, and said image code (Paragraphs 21 and 41-42); and
- J) when displaying a vertical writing (Paragraph 25).

The examiner notes that **Hyon** teaches “**a first storage portion for storing beforehand a character code for specifying each of said predetermined kind of character**” as “A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present

invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23) and "the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41). The examiner further notes that Hyon teaches **"a second storage portion for storing an image code for specifying said registered image and non-standardized image data corresponding to said image code in a correlated manner, said registered image being generated by a user"** as "A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23), "storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25), and "A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that Hyon teaches **"a display output portion for outputting said predetermined kind of character and said registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21). The examiner further notes that Hyon teaches **"a display control portion for causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display**

data containing a series of said character code, text attribute data, and said image code" as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons " . " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that it is common knowledge that when text messages are received via a device, the entire message is displayed at once. The examiner further notes that **Hyon** teaches "**when displaying a vertical writing**" as "Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- E) said display control portion having image transforming means for transforming said registered image to be displayed according to said text attribute data;
- G) wherein said text attribute data contains size attribute data indicating a character size of said text; and
- H) said image transforming means scales up/down said registered image to adjust a size of said registered image to a size of said text in accordance only with a dimension of said character in a the direction orthogonal to the arrangement of the texts;
- I) so that a height of said registered image matches said a height of said text sandwiching said registered image when displaying a horizontal writing;

J) a width of said registered image matches a width of said text sandwiching said registered image;

K) the size of said registered image inserted in the text being adjusted to the size of said text before the registered image is displayed.

Baker, however, teaches “**said display control portion having image transforming means for transforming said registered image to be displayed according to said text attribute data**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**wherein said text attribute data contains size attribute data indicating a character size of said text**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**said image transforming means scales up/down said registered image to adjust a size of said registered image to a size of said text in accordance only with a dimension of said character in a the direction orthogonal to the arrangement of the texts**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**so that a height of said registered image matches said a height of said text sandwiching said registered image when displaying a horizontal writing**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**a width of said registered image matches a width of said text sandwiching said**

registered image" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40), and **"the size of said registered image inserted in the text being adjusted to the size of said text before the registered image is displayed"** as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Baker's** would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and Baker do not explicitly teach:

F) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches **"so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence"** as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, ":-:)" for a head nod, "*w*" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":-" and ":-" and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the

characters ";-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Ostermann's** would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Regarding claim 19, **Hyon** teaches a method comprising:

- A) storing beforehand a character code for specifying each of said predetermined kind of character (Paragraphs 23, and 41-42, Figure 4);
 - B) storing an image code for specifying said registered image and registered image data corresponding to said image code in a correlated manner, said registered image being generated by a user (Paragraphs 23, 25, and 44, Figure 2);
 - C) outputting said predetermined kind of character and said registered image (Paragraph 21, Figure 2); and
 - D) causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display data containing a series of said character code, text attribute data, and said image code (Paragraphs 21 and 41-42); and
- J) when displaying a vertical writing (Paragraph 25).

The examiner notes that **Hyon** teaches "**storing beforehand a character code for specifying each of said predetermined kind of character**" as "A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23) and "the user can input a text including typical characters, special characters, or

emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41). The examiner further notes that **Hyon teaches "storing an image code for specifying said registered image and registered image data corresponding to said image code in a correlated manner, said registered image being generated by a user"** as "A storage 18 is comprised of a ROM (Read Only Memory) and a RAM (Random Access Memory) for storing programs and data, and a voice memory. The storage 18 stores an operation program for inputting emoticons and a plurality of emoticons in the form of a bit map according to the embodiment of the present invention. The plurality of emoticons are stored by groups in the storage 18 to facilitate selection of emoticons" (Paragraph 23), "storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25), and "A plurality of emoticons are pre-stored in a mobile terminal so that a user easily select an intended emoticon in the present invention. In another embodiment, the user can add hieroglyphics to basic emoticons stored by a manufacturer. The hieroglyphics can be stored in three ways: the user directly stores them, receives them from a base station and the stores them, or downloads them from the Internet. The user can change and edit the emoticons stored in the mobile terminal" (Paragraph 44). The examiner further notes that it is clear that the emoticons which are edited, changed, and user-generated must be stored in the RAM of storage 18 since items stored in RAM can be written to whereas items stored in ROM cannot be written (i.e. are Read-Only). The examiner further notes that **Hyon teaches "outputting said predetermined kind of character and said registered image"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21). The examiner further notes that **Hyon teaches "causing said display output portion to output corresponding said predetermined kind of character and said registered image both belonging to an identical sentence based on display data containing a series of said character code, text attribute data, and said image code"** as "a display 16 outputs display data and text messages generated in the mobile terminal. An LCD (Liquid Crystal Display) can be used as the display 16" (Paragraph 21), "If the user selects "smile" in the display 6 by manipulating a

left/right directional key, emoticons that belong to the group "smile" are displayed in a display 7. When the user chooses one of the "smile" emoticons " . " in the display 7, the selected emoticon is stored as part of the short message as shown in a display 8. Then, the user can input a text including typical characters, special characters, or emoticons within the range of a transmittable SMS message, by changing input modes" (Paragraph 41), and "After an intended text is completed, the user instructs the mobile terminal to transmit the SMS message including the emoticon...the mobile terminal transmits the stored message" (Paragraph 42). The examiner further notes that it is common knowledge that when text messages are received via a device, the entire message is displayed at once. The examiner further notes that Hyon teaches "**when displaying a vertical writing**" as "Emoticons are usually divided into two categories: oriental ones used among Asians including Koreans and Japanese, and occidental ones mainly used in the U.S. and Europe. Vertical hieroglyphics prevail in the former case, whereas horizontal ones prevail in the latter case. Therefore, storage 18 stores oriental or occidental emoticons according to the cultural area of a user" (Paragraph 25).

Hyon does not explicitly teach:

- E) said causing step including transforming said registered image to be displayed according to said text attribute data
- G) said text attribute data containing size attribute data indicating a character size of said text; and
- H) scaling up/down said registered image to adjust a size of said registered image to a size of said text in accordance only with a dimension of said character in a the direction orthogonal to the arrangement of the texts, in accordance with said size attribute data;
- I) so that a height of said registered image matches said a height of said text sandwiching said registered image when displaying a horizontal writing;
- J) a width of said registered image matches a width of said text sandwiching said registered image;
- L) the size of said registered image inserted in the text being adjusted to the size of said text before the registered image is displayed.

Baker, however, teaches “**said causing step including transforming said registered image to be displayed according to said text attribute data**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**said text attribute data containing size attribute data indicating a character size of said text**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**scaling up/down said registered image to adjust a size of said registered image to a size of said text in accordance only with a dimension of said character in a the direction orthogonal to the arrangement of the texts, in accordance with said size attribute data**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**so that a height of said registered image matches said a height of said text sandwiching said registered image when displaying a horizontal writing**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), “**a width of said registered image matches a width of said text sandwiching said registered image**” as “in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size” (Column 8, lines 26-40), and “**the size of said**

registered image inserted in the text being adjusted to the size of said text before the registered image is displayed" as "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching **Baker's** would have allowed **Hyon's** to provide a method for allowing for scalable icons to accompany texts with specified and varied fonts in order to easily associate an icon to a particular sentence, as noted by **Baker** (Column 5, lines 40-55).

Hyon and Baker do not explicitly teach:

F) so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence.

Ostermann, however, teaches "**so that said registered image is sandwiched between two parts of said text of said predetermined kind of character in a line of said identical sentence**" as "The sender may also insert emoticons 103 into the text of the message. The system includes predefined emoticons 96, such as ":-)" for a smile, ":-)" for a head nod, "w" for an eye wink, and so forth. The predefined emoticons are represented either as icons or as text, such as ":-)". As shown in FIG. 6, the window 80 includes a sample group of emoticon icons 96. The sender inserts an emoticon into a text message at the location of the cursor 102 by clicking on one of the emoticon icons 100. The sender may also type in the desired emoticon as text. Emoticon icons 96 save the sender from needing to type three keys, such as ":", "-", and ")" for a smile. The icons 96 may be either a picture of, say, a winking eye or a icon representation of the characters ":-)" 100, or other information indicating to the sender that clicking on that emoticon icon will insert the associated emotion 103 into the text at the location of the cursor 102" (Column 8, lines 35-50).

It would have been obvious to one of ordinary skill in the art at the time the invention was made to combine the teachings of the cited references because teaching

Ostermann's would have allowed **Hyon's** and **Baker's** to provide a method to allow the ability to insert a customized emoticon or specified image by a single button click, as noted by **Ostermann** (Column 3, lines 35-54).

Response to Arguments

7. Applicant's arguments filed on 09/15/2009 have been fully considered but they are not persuasive.

Applicant argues on page 16 that **"In other words, the claimed invention of the present application does not refer to the "point size of the font," but refers only to the height of the text when displaying the horizontal writing and refers only to the width of the text when displaying the vertical writing"**. However, the examiner wishes to refer to Column 8 of **Baker** which states "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40). The examiner further wishes to state that applicant's arguments are without merit because the instant invention scales BOTH the height and width of an image to conform to the dimensions of the font (See Figure 9). **Baker** clearly scales the size of the icon to conform to the size of the font.

Applicant argues on page 17 that **"Baker fails to disclose or suggest "the height and widths of said registered image inserted in the text being adjusted to the height and width of said text before the registered image is displayed"**. However, the examiner wishes to refer to Column 8 of **Baker** which states "in order to accommodate the use of different size fonts in the mailbox display, means for scaling the size of the icon graphics are also provided...at least one image for each icon is stored, the icon most closely matching the point size of the font is chosen and then scaled as needed to better match the font point size" (Column 8, lines 26-40). The examiner further wishes to refer to applicant's specification which states "FIG. 7 is a schematic view for describing a digitized document which is displayed on the display device according to the present embodiment and whose color attribute is specified. FIG.

8 is a schematic view showing a text and an external character displayed simultaneously without undergoing the processing described in FIG. 4. FIG. 9 is a schematic view showing a text and an external character displayed simultaneously after undergoing the processing described in FIG. 4" (Page 12, lines 5-10). The examiner further wishes to state that **Baker** scales an icon and inserts it into text automatically (i.e., simultaneously) to the display of the user. Moreover, the scaled image is clearly displayed to a user, and not the unscaled/un-modified image. Therefore, **Baker** teaches the aforementioned.

Conclusion

8. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

U.S. Patent 6,987,991 by **Nelson** on 17 January 2006. The subject matter disclosed therein is pertinent to that of claims 1, and 3-19 (e.g., methods automatically scale graphics into a text sentence that is sent to another user).

U.S. PGPUB 2002/0120653 by **Kraft et al.** on 29 August 2002. The subject matter disclosed therein is pertinent to that of claims 1, and 3-19 (e.g., methods automatically scale graphics into a text sentence that is sent to another user).

U.S. Patent 6,584,479 by **Chang et al.** on 24 June 2003. The subject matter disclosed therein is pertinent to that of claims 1, and 3-19 (e.g., methods automatically scale graphics into a text sentence that is sent to another user).

U.S. Patent 6,456,305 by **Qureshi et al.** on 24 September 2002. The subject matter disclosed therein is pertinent to that of claims 1, and 3-19 (e.g., methods automatically scale graphics into a text sentence that is sent to another user).

U.S. Patent 5,301,106 by **Hersum** on 05 April 1994. The subject matter disclosed therein is pertinent to that of claims 1, and 3-19 (e.g., methods automatically scale graphics into a text sentence that is sent to another user).

Contact Information

9. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Mahesh Dwivedi whose telephone number is (571) 272-2731. The examiner can normally be reached on Monday to Friday 8:20 am – 4:40 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tim Vo can be reached (571) 272-3642. The fax number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Mahesh Dwivedi
Patent Examiner
Art Unit 2168

December 28, 2009
/Mahesh H Dwivedi/
Examiner, Art Unit 2168

/Cheyne D Ly/
Primary Examiner, Art Unit 2168